



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

5

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/877,513	06/08/2001	Michael R. Lessard	3330/60	1671
29858	7590	11/03/2004		
BROWN, RAYSMAN, MILLSTEIN, FELDER & STEINER LLP 900 THIRD AVENUE NEW YORK, NY 10022			EXAMINER PARTHASARATHY, PRAMILA	
			ART UNIT	PAPER NUMBER
			2136	

DATE MAILED: 11/03/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/877,513

Applicant(s)

LESSARD, MICHAEL R.

Examiner

Pramila Parthasarathy

Art Unit

2136

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 12/16/2002.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-16 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-16 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)  
Paper No(s)/Mail Date 09/23/2002.
- 4) ☐ Interview Summary (PTO-413)  
Paper No(s)/Mail Date. \_\_\_\_\_.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: \_\_\_\_\_.

### **DETAILED ACTION**

1. This action is in response to the communication filed on 12/16/2002. Claims 1 – 16 were received for consideration. No preliminary amendments to the claims were filed on. Claims 1 – 16 are currently being considered.

#### ***Information Disclosure Statement***

2. An initialed and dated copy of Applicant's IDS form 1449 is attached to the Office action.

#### ***Claim Rejections - 35 USC § 102***

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

3. Claims 1 – 16 are rejected under 35 U.S.C. 102(e) as being anticipated by Shklar et al. (U.S. Patent Number 6,253,239).

Regarding Claim 1, Shklar teaches and describes a method for virtualizing external data as virtual native data, the external data being from a source that is external to a host operating environment, and the virtual native data being native to the host operating environment (Fig. 1, 2, 7 – 9; Summary and Column 4 line 15 – Column 12 line 46), the method comprising:

determining an external data set to be virtualized as a plurality of virtual native documents, the plurality of virtual native documents being native to the host operating environment (Column 7 line 35 – Column 8 line 9);

determining mapping data to associate each of a first set of data groups from the external data set with fields of the plurality of virtual native documents (Column 4 line 52 – Column 5 line 19; Column 9 line 62 – Column 10 line 14 and Column 11 lines 1 – 37);

utilizing the mapping data, determining wrapping data associated with each of a second set of data groups from the external data set, the wrapping data being for specifying characteristics of external data from the external data set as the fields of the plurality of virtual native documents (Column 6 line 35 – Column 7 line 34 and Column 8 line 10 – Column 9 line 8); and

utilizing the wrapping data, allowing use of the external data through the host operating environment (Column 6 line 35 – Column 8 line 17).

Regarding Claim 5, Shklar teaches and describes a method for virtualizing external data as virtual native data, the external data being from a source that is external to a host operating environment, and the virtual native data being native to the

Art Unit: 2136

host operating environment (Fig. 1, 2, 7 – 9; Summary and Column 4 line 15 – Column 12 line 46), the method comprising:

determining an external data table having a plurality of rows to be virtualized as a plurality of virtual native documents, the plurality of virtual native documents being native to the host operating environment (Column 7 line 35 – Column 8 line 9 and Column 11 lines 1 – 12);

determining mapping data to associate columns from the external data table with fields of the plurality of virtual native documents (Column 4 line 52 – Column 5 line 19; Column 9 line 62 – Column 10 line 14 and Column 11 lines 1 – 37);

utilizing the mapping data, determining wrapping data associated with each of a plurality of rows from the external data table, the wrapping data being for specifying characteristics of each row of external data from the external data table as a virtual native document of the plurality of virtual native documents (Column 6 line 35 – Column 7 line 34 and Column 8 line 10 – Column 9 line 8); and

utilizing the wrapping data, allowing use of the external data through the host operating environment (Column 6 line 35 – Column 8 line 17).

Regarding Claim 15, Shklar teaches and describes a computer usable medium storing program code which, when executed on a computerized device, causes the computerized device to execute a method for virtualizing external data as virtual native data, the external data being from a source that is external to a host operating environment, and the virtual native data being native to the host operating environment

(Fig. 1, 2, 7 – 9; Summary and Column 4 line 15 – Column 12 line 46), the method comprising:

determining an external data set to be virtualized as a plurality of virtual native documents, the plurality of virtual native documents being native to the host operating environment (Column 7 line 35 – Column 8 line 9);

determining mapping data to associate each of a first set of data groups from the external data set with a field of the plurality of virtual native documents (Column 4 line 52 – Column 5 line 19; Column 9 line 62 – Column 10 line 14 and Column 11 lines 1 – 37);

utilizing the mapping data, determining wrapping data associated with each of a second set of data groups from the external data set, the mapping data being for specifying characteristics of external data from the external data set as the fields of the plurality of virtual native documents (Column 6 line 35 – Column 7 line 34 and Column 8 line 10 – Column 9 line 8); and

utilizing the wrapping data, allowing use of the external data through the host operating environment (Column 6 line 35 – Column 8 line 17).

Regarding Claim 16, Shklar teaches and describes a computer usable medium storing program code which, when executed on a computerized device, causes the computerized device to execute a method for virtualizing external data as virtual native data, the external data being from a source that is external to a host operating environment, and the virtual native data being native to the host operating

environment (Fig. 1, 2, 7 – 9; Summary and Column 4 line 15 – Column 12 line 46), the method comprising:

determining an external data table to be virtualized as a plurality of virtual native documents, the plurality of virtual native documents being native to the host operating environment (Column 7 line 35 – Column 8 line 9 and Column 11 lines 1 – 12);

determining mapping data to associate columns from the external data table with fields of the plurality of virtual native documents (Column 4 line 52 – Column 5 line 19; Column 9 line 62 – Column 10 line 14 and Column 11 lines 1 – 37);

utilizing the mapping data, determining mapping data associated with rows from the external data table, the wrapping data being for specifying characteristics of external data from the external data table as the fields of the plurality of virtual native documents (Column 6 line 35 – Column 7 line 34 and Column 8 line 10 – Column 9 line 8); and

utilizing the wrapping data, allowing use of the external data through the host operating environment (Column 6 line 35 – Column 8 line 17).

Claim 2 is rejected as applied above in rejecting claim 1. Furthermore, Shklar teaches and describes a method for virtualizing external data as virtual native data, the external data being from a source that is external to a host operating environment, and the virtual native data being native to the host operating environment (Fig. 1, 2, 7 – 9; Summary and Column 4 line 15 – Column 12 line 46), wherein determining an external data set comprises determining an external data table (Column 7 line 35 – Column 8 line 9 and Column 11 lines 1 – 12).

Claim 6 is rejected as applied above in rejecting claim 5. Furthermore, Shklar teaches and describes a method for virtualizing external data as virtual native data, the external data being from a source that is external to a host operating environment, and the virtual native data being native to the host operating environment (Fig. 1, 2, 7 – 9; Summary and Column 4 line 15 – Column 12 line 46), wherein determining wrapping data comprises determining a plurality of columns to be appended to the external data table for specifying characteristics of the plurality of rows as the plurality of virtual native documents (Column 8 line 42 – 48 and Column 10 lines 15 – 67).

Claim 7 is rejected as applied above in rejecting claim 5. Furthermore, Shklar teaches and describes a method for virtualizing external data as virtual native data, the external data being from a source that is external to a host operating environment, and the virtual native data being native to the host operating environment (Fig. 1, 2, 7 – 9; Summary and Column 4 line 15 – Column 12 line 46), wherein determining wrapping data comprises determining wrapping data to associate each of a first plurality of columns from the external data table with each of a plurality of fields of the plurality of virtual native documents (Column 6 lines 19 – 57 and Column 11 lines 1 – 54).

Claim 8 is rejected as applied above in rejecting claim 5. Furthermore, Shklar teaches and describes a method for virtualizing external data as virtual native data, the external data being from a source that is external to a host operating environment, and the virtual native data being native to the host operating environment (Fig. 1, 2, 7 – 9;



Summary and Column 4 line 15 – Column 12 line 46), wherein each of the plurality of documents is of a same type (Column 4 line 52 – Column 5 line 34).

Claim 9 is rejected as applied above in rejecting claim 5. Furthermore, Shklar teaches and describes a method for virtualizing external data as virtual native data, the external data being from a source that is external to a host operating environment, and the virtual native data being native to the host operating environment (Fig. 1, 2, 7 – 9; Summary and Column 4 line 15 – Column 12 line 46), wherein allowing use of the external data through the host operating environment does not require nonvolatile storage of the wrapping data as native data to the host operating environment (Column 12 lines 5 – 24).

Claim 10 is rejected as applied above in rejecting claim 5. Furthermore, Shklar teaches and describes a method for virtualizing external data as virtual native data, the external data being from a source that is external to a host operating environment, and the virtual native data being native to the host operating environment (Fig. 1, 2, 7 – 9; Summary and Column 4 line 15 – Column 12 line 46), wherein allowing use of the external data comprises allowing use of the external data as a first class participant in the host operating environment (Column 10 line 4 – Column 12 line 13).

Claim 11 is rejected as applied above in rejecting claim 5. Furthermore, Shklar teaches and describes a method for virtualizing external data as virtual native data, the

Art Unit: 2136

external data being from a source that is external to a host operating environment, and the virtual native data being native to the host operating environment (Fig. 1, 2, 7 – 9; Summary and Column 4 line 15 – Column 12 line 46), comprising, if a set of external data from the external data table is changed through the host operating environment:

appropriately updating the set of external data in the external data table (Column 10 line 46 – Column 11 line 54); and

appropriately updating a first set of wrapping data associated with the updated set of external data, if any updating of the first set of wrapping data is appropriate (Column 8 lines 10 – 48 and Column 10 line 46 – Column 11 line 54).

Claim 12 is rejected as applied above in rejecting claim 5. Furthermore, Shklar teaches and describes a method for virtualizing external data as virtual native data, the external data being from a source that is external to a host operating environment, and the virtual native data being native to the host operating environment (Fig. 1, 2, 7 – 9; Summary and Column 4 line 15 – Column 12 line 46), comprising, if a set of external data from the external data table is updated externally from the host operating environment:

appropriately updating a set of wrapping data associated with the updated set of external data, if any updating of the set of wrapping data is appropriate (Column 8 lines 10 – 48 and Column 10 line 46 – Column 11 line 54).

Claim 13 is rejected as applied above in rejecting claim 5. Furthermore, Shklar teaches and describes a method for virtualizing external data as virtual native data, the external data being from a source that is external to a host operating environment, and the virtual native data being native to the host operating environment (Fig. 1, 2, 7 – 9; Summary and Column 4 line 15 – Column 12 line 46), comprising, if a set of external data associated with the external data table is added through the host operating environment, adding the set of external data to the external data table (Column 10 line 46 – Column 11 line 54);

Claim 14 is rejected as applied above in rejecting claim 5. Furthermore, Shklar teaches and describes a method for virtualizing external data as virtual native data, the external data being from a source that is external to a host operating environment, and the virtual native data being native to the host operating environment (Fig. 1, 2, 7 – 9; Summary and Column 4 line 15 – Column 12 line 46), if a set of external data associated with the external data table is added externally from the host operating environment:

if appropriate, determining mapping data associated with the set of external data (Column 4 line 52 – Column 5 line 19; Column 9 line 62 – Column 10 line 14 and Column 11 lines 1 – 37); and

storing the wrapping data in the external data table (Column 8 lines 3 – 61 and Column 11 lines 38 – 54).

Claim 3 is rejected as applied above in rejecting claim 2. Furthermore, Shklar teaches and describes a method for virtualizing external data as virtual native data, the external data being from a source that is external to a host operating environment, and the virtual native data being native to the host operating environment (Fig. 1, 2, 7 – 9; Summary and Column 4 line 15 – Column 12 line 46), wherein determining mapping data to associate each of a first set of data groups comprises determining mapping data to associate each of a first set of columns (Column 4 line 52 – Column 5 line 19; Column 9 line 62 – Column 10 line 14 and Column 11 lines 1 – 37).

Claim 4 is rejected as applied above in rejecting claim 3. Furthermore, Shklar teaches and describes a method for virtualizing external data as virtual native data, the external data being from a source that is external to a host operating environment, and the virtual native data being native to the host operating environment (Fig. 1, 2, 7 – 9; Summary and Column 4 line 15 – Column 12 line 46), wherein determining wrapping data associated with each of a second set of data groups comprises determining wrapping data associated with each of a second set of rows (Column 4 line 52 – Column 5 line 19; Column 9 line 62 – Column 10 line 14 and Column 11 lines 1 – 37).

***Conclusion***

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Suzuki et al. (Patent Number: 5,842,198) Data Management System, that enables a user to connect existing data to an external file and a program to process that data

Ofek et al. (Patent Number: 6,108,748) System and method for on-line, real time, data migration

5. Any response to this action should be mailed to:

Commissioner of Patents and Trademarks, Washington, D.C. 20231 **or faxed to:** (703) 872-9306 for all formal communications.

Hand-delivered responses should be brought to Crystal Park II, 2121 Crystal Drive, Arlington, VA, Fourth Floor (Receptionist).


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Pramila Parthasarathy whose telephone number is 703-305-8912. The examiner can normally be reached on 8:00a.m. To 5:00p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ayaz Sheikh can be reached on 703-305-9648. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2136

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-3900.

Pramila Parthasarathy  
October 19, 2004.

  
AYAZ SHEIKH  
SUPERVISORY PATENT EXAMINER  
TECHNOLOGY CENTER 2100